Kawi Complex, Block B,
Popo Lane, Off Red Cross Road, South C
P. O. Box 34942 – 00100, NAIROBI
Phone: 020 4956000, 0719018000, 0732128000
Web: www.ketraco.co.ke • email: info@ketraco.co.ke

10th March, 2025

Our Ref: KETRACO-PT-004-2025

Notice to all Bidders

# RE: TENDER ADDENDUM AND CLARIFICATION 1 TO TENDER NUMBER , KETRACO-PT-004-2025

The following amendments are made to the specified provisions of SUPPLY OF SPECIALIZED STORAGE SOLUTIONS, LABELING AND IDENTIFICATION SYSTEMS, AND WAREHOUSE LAYOUT MAPPING FOR THE KETRACO APEX STORAGE FACILITY MODERNIZATION PROJECT, INCLUDING:

i.SPECIALIZED STORAGE SOLUTIONS (VARIOUS TYPES OF RACKING, SHELVING, AND CABINET SYSTEMS)

ii.COMPREHENSIVE LABELING AND IDENTIFICATION SYSTEM

iii.WAREHOUSE LAYOUT MAPPING

**iv.INSTALLATION AND SETUP SERVICES (Tender Number KETRACO-PT-004-2025).** Save where expressly amended by the terms of this clarification, the Principal Tender Document shall continue to be in full force and effect.

Find herein a ADDENDUM AND CLARIFICATION No. 1, consisting of two (2) pages into the Principal Tender Documents as attached. This document should be returned along with dully filled Form of Tender.

No	Clause	Clarification	KETRACO Response
1	Tender Description	SUPPLY OF SPECIALIZED STORAGE SOLUTIONS, LABELING AND IDENTIFICATION SYSTEMS, AND WAREHOUSE LAYOUT MAPPING FOR THE KETRACO APEX STORAGE FACILITY MODERNIZATION PROJECT, INCLUDING. i.SPECIALIZED STORAGE SOLUTIONS (VARIOUS TYPES OF RACKING, SHELVING, AND CABINET SYSTEMS) ii.COMPREHENSIVE LABELING AND IDENTIFICATION SYSTEM iii.WAREHOUSE LAYOUT MAPPING iv.INSTALLATION AND SETUP SERVICES Tender No. KETRACO-PT-004-2025	TENDER FOR SUPPLY AND INSTALLATION OF MODERN STORAGE SYSTEM FOR APEX GODOWN FACILITY, Tender No. KETRACO-PT-004-2025.  Bidders are expected to conform to this clarification, failure to which would lead to disqualification of the bid.
2	Scope	Clarification on scope	Zones 1, 2, 6, 7,9,10,11 and 12 have been descoped, leaving zones 3, 4,5,7,8 as per the updated GTP, price schedule and schedule of requirements.

No	Clause	Clarification	KETRACO Response
	1 - 1-6-		Bidders are required to use the
			updated schedules, failure to
			which the bid will be termed as
			non responsive .

Bidders are expected to fill and return this addendum 1 alongside with the form of tender.

All other terms and conditions of the tender document remains the same.

USER REPRESENTATIVE:	7/		
SIGNATURE:	The state of the s		
SIGNATURE.			
APPROVED BY:			
ters award (\$1 y			
buch			
SENIOR MANAGER, SUPPLY O	CHAIN		
TO RIGHT LEAD			
Tender Addendum and Clarifibeen received and incorporate			4/2025 has
TO STREET A CALL	d in the render became	311651	
Name of Tenderer (in block letters):			
Diock lettersj.		4	
- Party Mint			
Signature:			
Date:			
Signed for the Tenderer by (Name in block letters):			
In the office bearer	agerre andy br		
capacity of:			

### **GUARANTEED TECHNICAL PARTICULARS (GTP)**

### A1. INSTRUCTIONS FOR FILLING THE GTP

- 1. The GTP must be filled in on a clause-by-clause basis
- 2. Deviations must be clearly stated with technical justification
- 3. Alternative specifications must be supported by technical documentation
- 4. "Compliant" statements must be supported by relevant technical documentation

### **COMPLIANCE CODES:**

C: Fully Compliant

PC: Partially Compliant

• NC: Non-Compliant

### **EVIDENCE REFERENCE:**

· Specify document name, page number, and paragraph

### A2. CLAUSE BY CLAUSE COMPLIANCE STATEMENT

Clause	Specification	Compliance	Bidder's	Evidence	Remarks
No.	Requirement	(C/PC/NC)	Specification	Reference	
1	FOREWORD				
2	SCOPE				
2.1	System Zones				
2.2	System Components				
3	REFERENCE STANDARDS			-466(D)(	
3.1	EN 15635 Compliance				
3.2	EN 15629 Compliance				
3.3	ISO 9001 Compliance			Tracking to	
3.4	SEMA Guidelines Compliance			- saforest	
3.5	OSHA 1910.176 Compliance				
3.6	ANSI Z535 Compliance				

Clause No.	Specification Requirement	Compliance (C/PC/NC)	Bidder's Specification	Evidence Reference	Remarks
3.7	ISO 3864 Compliance		200 may 150 a		
4	INSTALLATION				
5	TERMS AND DEFINITIONS	er er de 160 fg	M Sceleboro		
6	SERVICE CONDITIONS		- The next		
6.1	Altitude (up to 1800m)			i de Sagesti	
6.2	Operating Temperature (0°C to +45°C)		A DESERT		
6.3	Relative Humidity (10% to 90%)		A A	ally your	
6.4	Installation Environment (Indoor)				
6.5	Dust Conditions (Moderate)				
7	TECHNICAL SPECIFICATIONS			No. of the last of	Addition that is a respective
7.1.1	General Description				
7.1.2	Specialized Storage Solutions			3.500.00	
7.1.3	Labeling and Identification System				
7.1.4	Warehouse Layout Map				

Clause No.	Specification Requirement	Compliance (C/PC/NC)	Bidder's	Evidence Reference	Remarks
NO.	Requirement	(C/PC/NC)	Specification	Reference	
8	MANDATORY ACCESSORIES			gl some	
8.1	Installation Hardware				
8.2	Safety Equipment				
8.3	Assembly Tools				
9	TESTING AND ACCEPTANCE				
9.1	Type Tests				1/48/0
9.2	Routine Tests			Y	
10	DOCUMENTATION				galax.
10.1	Installation and Maintenance Manuals				
10.2	Assembly Instructions				
10.3	Inventory Management Guide				
11	TRAINING				
11.1	3-Day Training Program				
11.2	Classroom and Hands- on Training				
12	WARRANTY				
12.1	24-Month Warranty				100
12.2	48-Hour Response Time			ante " Lingua sensida pent kesil	
12.3	7-Day Repair Time				

Clause	Specification	Compliance	Bidder's	Evidence	Remarks
No.	Requirement	(C/PC/NC)	Specification	Reference	
12.4	5-Year Spare Parts Availability				

## A3. ZONE-SPECIFIC EQUIPMENT SPECIFICATIONS

## A3.3 ZONE 3: CIRCUIT BREAKERS AND LARGE EQUIPMENT

Parameter	Bidder's Specification	Evidence Reference	Remarks
			1974
Heavy-Duty Pallet Racking			
Dimensions			
Material			
Upright Thickness			ALLES TO THE
Beam Thickness			

Parameter	Bidder's Specification	Evidence Reference	Remarks
Load Capacity			
		San Age of the Case	
Accessories			
		SUGESTI THE SELE	2 2 2 6 7 3
			***************************************
Cantilever Racking			and
Height	<u>A</u>		
Column Profile			
A Th' day and			
Arm Thickness			
Arm Load Capacity			
	100		T ALBERT
Column Load Capacity			

Parameter	Bidder's Specification	Evidence Reference	Remarks
,			
Base			-few 25%
			The state of the same

## A3.4 ZONE 4: CABLES AND CONDUCTORS

Parameter	Bidder's Specification	Evidence Reference	Remarks
Cable Reel Storage Rack			
Dimensions			
Material			
Spindle			
Spindle Load Capacity			
Adjustability			
Total Load Capacity			
Accessories			

## A3.5 ZONE 5: TRANSMISSION LINE EQUIPMENT

Parameter	Bidder's Specification	Evidence Reference	Remarks
			NO STATE SHARE
Heavy-Duty Shelving Units			ences/
Dimensions			a remark growning.
Material			19 - 184 18T
Shelf Quantity			
Shelf Load Capacity		Tables 1	
Vertical Storage Rack			
Dimensions			
Material			
Dividers			
Load Capacity			

A3.7 ZONE 7: CONSUMABLES AND SMALL PARTS

Parameter	Bidder's Specification	Evidence Reference	Remarks
Small Parts Bin Shelving		graces	yhis yver
Dimensions			
Shelving Material			(CO) (CO) (CO) (CO) (CO) (CO) (CO) (CO)
Bin Material	- 5.85		
Bin Quantity			direction to the pro-
Shelf Load Capacity			
Drawer Cabinet System			
Dimensions			44 12 37987
Material			
Drawer Quantity			
			SHEET .
Drawer Slides			Market 1
Locking Mechanism			Angles de la Santa de California

## A3.8 ZONE 8: SPECIALIZED EQUIPMENT

Parameter	Bidder's Specification	Evidence Reference	Remarks
Secure Cage System			

Parameter	Bidder's Specification	Evidence Reference	Remarks
Dimensions			
Material			
Shelving			
Shelf Size			
Shelf Capacity			
Door			
Heavy-Duty Workbenches			
Dimensions			
Frame Material			

Parameter	Bidder's Specification	Evidence Reference	Remarks
Worktop			
			Telesca.
Storage			
Load Capacity			

## A4. LABELING AND IDENTIFICATION SYSTEM SPECIFICATIONS

### A4.1 ZONE LABELING

Parameter	Bidder's Specification	Evidence Reference	Remarks
Main Zone Signs			ACCOLUMN TO THE PARTY OF THE PA
Size			alighter sectors.
Material			

Parameter	Bidder's Specification	Evidence Reference	Remarks
Design			
Format			
			ara ad
Installation			
Sub-Zone Signs			
Size			
Material			5 ± 1,50 1,00 °
			SZ-Admir.
Design			

Parameter	Bidder's Specification	Evidence Reference	Remarks
		- North Circle	<u>.</u> i
Format			
Floor Markings			
Material	The state of the s		
Design			
	3		Control of the Contro
	1		
Application			
			- 400
Compliance			

A4.2 STORAGE SYSTEM LABELING

Parameter	Bidder's Specification	Evidence Reference	Remarks
Cabinet Labels			767 L 1071
Format	100 Persons		
Size			
Material			Administration of the second o
Shelf Labels			H AND MARKED
Format			
Size			
Rack Labels			
Format			
Size			
Material			
Bin Labels	b and a second		
Format	/		
Size			
Durability			100

### A5. WAREHOUSE LAYOUT MAP SPECIFICATIONS

Parameter	Bidder's Specification	Evidence Reference	Remarks
Overall Layout Maps			
Size			MALE TRAPERS

Parameter	Bidder's Specification	Evidence Reference	Remarks
Material			
Features			新製 研修算21
reatures			Samuel,
Location			- Winney
Zone-Specific Maps			p
			10.361
Size			
Location			A Parameter
Content			etill de
Grid System			
Туре	1		
Visibility			one.
Integration			
Legend			
Content		TYAL IL	
Readability			

A6. INSTALLATION, TRAINING, AND WARRANTY

Parameter	Bidder's Specification	Evidence Reference	Remarks
Installation			A Street
Floor Anchoring			
Wall Anchoring			
Leveling			
Safety Features			
	Å		
Training	//		
Duration			
Personnel			
Content			THE PROPERTY OF THE PROPERTY O

Parameter	Bidder's Specification	Reference	Remarks
Materials			Tallades
			efections flew p
Warranty			
Period			Que va
Coverage			
Response Time	A		
Repair Time			
Spare Parts			
			tor recently
/We declare that the	information provided in this	GTP is true and correct	r, and all supporting
ignature:	Name:		
osition:	Company:		
Date:	Company Seal:	ing the state of the last of t	

### PRICE SCHEDULE

#### Instructions to Bidders:

- 1. All prices should be quoted in Kenya Shillings (KES)
- 2. Prices should be inclusive of delivery, installation, and commissioning at KETRACO APEX facility
- 3. Include all necessary hardware, accessories, and installation materials as specified in technical specifications
- 4. Warranty period for all items shall be 24 months from date of commissioning

### PART 1: SPECIALIZED STORAGE SOLUTIONS

ltem	Description	Unit	Qty	Unit Price (KES)	Total Price (KES)
1.3	ZONE 3: CIRCUIT BREAKERS AND LARGE EQUIPMENT		25.00	The state of the s	
1.3.1	Heavy-duty pallet racking (20'H x 8'W x 4'D), including uprights, beams, wire decking, row spacers, upright protectors, min. 3,000kg per level	Bay	20		
1.3.2	Cantilever racking (12'H with 5' arms), I-beam profile, min. 1,000kg per arm	Unit	10	elofis)	
1.4	ZONE 4: CABLES AND CONDUCTORS				
1.4.1	Cable reel storage rack (8'H x 6'W x 4'D), 11-gauge steel, adjustable spindles, min. 2,000kg capacity	Unit	25		
1.5	ZONE 5: TRANSMISSION LINE EQUIPMENT				
1.5.1	Heavy-duty shelving units (8'H x 4'W x 2'D), 14-gauge steel, 5 adjustable shelves	Unit	20		

Item	Description	Unit	Qty	Unit Price (KES)	Total Price (KES)
1.5.2	Vertical storage rack with dividers (12'H x 8'W x 3'D), 12-gauge steel	Unit	5	g sa basar, s	of motamer
1.7	ZONE 7: CONSUMABLES AND SMALL PARTS				fryespit gallook
1.7.1	Small parts bin shelving (75"H x 36"W x 18"D), 18-gauge steel, min. 100 plastic bins per unit	Unit	15		
1.7.2	Multi-drawer parts cabinet (60"H x 30"W x 28"D), 18-gauge steel, min. 30 drawers	Unit	10		
1.8	ZONE 8: SPECIALIZED EQUIPMENT		ASS		
1.8.1	Wire mesh security cages (8'H x 8'W x 4'D), 10-gauge welded wire mesh, with 4 shelves and locking door	Unit	5		
1.8.2	Heavy-duty workbenches (6'L x 3'W x 3'H), steel frame, 1.5" thick top, storage drawers	Unit	5		
	AL PART 1: SPECIALIZED E SOLUTIONS				

## PART 2: LABELING AND IDENTIFICATION SYSTEM

Item	Description	Unit	Qty	Unit Price (KES)	Total Price (KES)
2.1	Main zone signs (36"x24"), durable plastic/metal with anti-glare coating	Each	12		

Item	Description	Unit	Qty	Unit Price (KES)	Total Price (KES)
2.2	Sub-zone signs (18"x12"), color-coded to match main zone	Each	50		
2.3	Floor marking system including zone boundaries and walkway markings, industrial-grade paint/tape	Lot	1		
2.4	Storage system labels (various sizes) for all cabinets, shelves, racks, and bins as specified	Lot	1		
		A			See a Real
2.5	Safety and navigation signs including aisle markers, emergency exits, fire extinguishers, first aid stations, and PPE requirements	Lot	1		
SUBTOTAL LABELING IDENTIFIC					

### PART 3: WAREHOUSE LAYOUT MAP

Item	Description	Unit	Qty	Unit Price (KES)	Total Price (KES)
3.1	Large overall layout maps (48"x36"), durable fade-resistant material	Each	3		
3.2	Smaller overall layout maps (24"x18")	Each	10		100 T
3.3	Zone-specific maps (24"x18")	Each	11	-1903	and the
	AL PART 3: OUSE LAYOUT MAP				

## PART 4: INSTALLATION, TRAINING, AND DOCUMENTATION

4.1 Complete Lot 1	Item	Description	Unit	Qty	Unit Price (KES)	Total Price (KES)
installation of all storage systems, including assembly, anchoring, and alignment	4.1	Complete installation of all storage systems, including assembly, anchoring, and		1		

Item	Description	Unit	Qty	Unit Price (KES)	Total Price (KES)
4.2	Training program for 15 KETRACO personnel (3 days) including classroom and hands-on training	Lot		A SALITANE ARTHUR TÜRÜLER AÇIYADIN	and invitation of the control of the
4.3	Comprehensive documentation including installation manuals, maintenance guides, and inventory management procedures	Lot	1		
INSTALL	TOTAL PART 4: ATION, TRAINING, OCUMENTATION				

## SUMMARY

Section	Description	Amount (KES)
Part 1	Specialized Storage Solutions	
Part 2	Labeling and Identification System	
Part 3	Warehouse Layout Map	
Part 4	Installation, Training, and Documentation	
	Subtotal	
	VAT (16%)	
	GRAND TOTAL	

1)	ec	12	ra	TI	0	n
$\boldsymbol{\mathcal{L}}$		u	ıa		v	

We confirm that our bid co	omplies with all requ	irements as specified	in the tender document
All prices include delivery, i	installation, and com	missioning at KETRAC	O APEX facility.

Company Name: \_\_\_\_\_\_
Authorized Signatory: \_\_\_\_\_\_
Position: \_\_\_\_\_
Date: \_\_\_\_\_
Company Stamp: \_\_\_\_\_\_

## SCHEDULE OF REQUIREMENTS

Description	Delivery Schedule (Weeks)
Zone 3	
Zione 4	
Zone 5	
Zone 7	
Zone 8	

Delivery schedule	is in weeks from contract signing date	
Signature:	Name:	
Position:	Company:	
Date:	Company Seal:	




### APEX STORE FLOOR PLANS - ZONES 3, 4, 5, 7, 8

Prepared by Eng. James Wairia

#### LOWER GROUND FLOOR (30m x 15m x 20m height)





### RECEPTION AREA (5m x 5m x 3m height)

